

Please check actual product in box for bracket type used (Hardwire)

ARCH 700

LED MIRROR

PRODUCT CODE

GAR70D

SPECIFICATIONS

WIDTH	700mm
HEIGHT	1000mm
DEPTH	35mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS

CCT	2700K - 6500K
CRI	>80

INSTALLATION

Wall Mount
Hardwire
Input Voltage: 220-240v 50Hz




5 YEAR
REPLACEMENT
WARRANTY

Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

FEATURES

- Copper Free Mirror
- LED Lighting (Adjustable Colour Temperature)
- Touch Sensor
- Demister with 1 Hour Auto Cut-off



13-15 Edison Road, Dandenong South VIC 3175
T (03) 9706 6663 E sales@remer.com.au W remer.com.au

Please check actual product in box for bracket type used (Hardwire/Plug)

ARCH 700

LED MIRROR

PRODUCT CODE

GAR70D

SPECIFICATIONS

WIDTH	700mm
HEIGHT	1000mm
DEPTH	35mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS

CCT	2700K - 6500K
CRI	>80

INSTALLATION

Wall Mount
Plug or Hardwire
Input Voltage: 220-240v 50Hz





5 YEAR
REPLACEMENT
WARRANTY

Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

FEATURES

- Copper Free Mirror
- LED Lighting (Adjustable Colour Temperature)
- Touch Sensor
- Demister with 1 Hour Auto Cut-off



Please check actual product in box for bracket type used (Hardwire/Plug Modubox™)

ARCH 700

LED MIRROR

PRODUCT CODE

GAR70D

SPECIFICATIONS

WIDTH	700mm
HEIGHT	1000mm
DEPTH	35mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS

CCT	2700K - 6500K
CRI	>80

INSTALLATION

Wall Mount
Plug or Hardwire
Input Voltage: 220-240v 50Hz




5 YEAR
REPLACEMENT
WARRANTY

Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

FEATURES

- Copper Free Mirror
- LED Lighting
- (Adjustable Colour Temperature)
- Touch Sensor
- Demister with 1 Hour Auto Cut-off
- Modubox™



13-15 Edison Road, Dandenong South VIC 3175
T (03) 9706 6663 E sales@remer.com.au W remer.com.au

Please check actual product in box for bracket type used (Hardwire)

ARCH 700

LED MIRROR WITH ALUMINIUM FRAME

SPECIFICATIONS

WIDTH	705mm
HEIGHT	1005mm
DEPTH	40mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS

CCT	2700K - 6500K
CRI	>80

INSTALLATION

Wall Mount
Hardwire
Input Voltage: 220-240v 50Hz



Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

FEATURES


- Copper Free Mirror
- LED Lighting
- (Adjustable Colour Temperature)
- Touch Sensor
- Demister with 1 Hour Auto Cut-off

FINISH PRODUCT CODE

Baltic Brass		GAR70D-BB
Brits Nickel		GAR70D-BN
Cuban Bronze		GAR70D-CB
Georgian Metal		GAR70D-GM

FINISH PRODUCT CODE

Manhattan Black		GAR70D-MB
Milano White		GAR70D-MW
Nordic Gold		GAR70D-NG



ARCH 700

LED MIRROR WITH ALUMINIUM FRAME

SPECIFICATIONS

WIDTH	705mm
HEIGHT	1005mm
DEPTH	40mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS

CCT	2700K - 6500K
CRI	>80

INSTALLATION

Wall Mount
Plug or Hardwire
Input Voltage: 220-240v 50Hz




Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

Please check actual product in box for bracket type used (Hardwire/Plug)

FINISH	PRODUCT CODE
Baltic Brass	GAR70D-BB
Brits Nickel	GAR70D-BN
Cuban Bronze	GAR70D-CB
Georgian Metal	GAR70D-GM

FINISH	PRODUCT CODE
Manhattan Black	GAR70D-MB
Milano White	GAR70D-MW
Nordic Gold	GAR70D-NG



ARCH 700

LED MIRROR WITH ALUMINIUM FRAME

SPECIFICATIONS

WIDTH	705mm
HEIGHT	1005mm
DEPTH	40mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS

CCT	2700K - 6500K
CRI	>80

INSTALLATION


Wall Mount
Plug or Hardwire
Input Voltage: 220-240v 50Hz



Disclaimer: All LED Products requiring hardwiring must be installed by a licensed electrician in accordance with local regulations. Sizes are in mm and nominal and should be checked prior to installation. Actual colours may vary so please check colour samples before ordering. Installation is acceptance of our products. Installation of faulty, warped, chipped or damaged products will void our warranty.

FEATURES

- Copper Free Mirror
- LED Lighting (Adjustable Colour Temperature)
- Touch Sensor
- Demister with 1 Hour Auto Cut-off
- Modubox™



Please check actual product in box for bracket type used (Hardwire/Plug Modubox™)

FINISH PRODUCT CODE

Baltic Brass		GAR70D-BB
Brits Nickel		GAR70D-BN
Cuban Bronze		GAR70D-CB
Georgian Metal		GAR70D-GM

FINISH PRODUCT CODE

Manhattan Black		GAR70D-MB
Milano White		GAR70D-MW
Nordic Gold		GAR70D-NG